

## CLAIMS

What is claimed is:

1. A multiple applicators comprising:  
an elongated housing that is separated into multiple sealed compartments along its length; and  
an opening means located at each of said sealed compartments wherein each sealed compartment may be opened and removed;  
wherein said elongated housing may be selectively severed into shorter sections at the opening means.
2. A multiple applicators as in claim 1, wherein a holder is provided comprising an elongated hollow tube or an elongated member with one or more holes at its end to hold the severed section of the elongated housing for application.
3. A multiple applicators as in claim 1, wherein said opening means is a score line wherein the sealed compartment will snap-off at the score line when the elongated housing is bent.
4. A multiple applicators as in claim 1, wherein one or more of said sealed compartments enclose a liquid or a viscous substance.
5. A multiple applicators as in claim 1, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.
6. A multiple applicators as in claim 3, wherein one or more of said sealed compartments enclose a liquid or a viscous substance.

7. A multiple applicators as in claim 3, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.

8. A multiple applicators as in claim 4, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.

9. A multiple applicators comprising:  
an elongated housing that is separated into multiple sealed compartments along its length;

one or more of the sealed compartments encloses an elongated member with a free end and another end affixed to one end of the sealed compartment; and

an opening means located at each of said sealed compartments near said free end of said elongated member wherein each sealed compartment may be opened and removed;

wherein said elongated housing may be selectively severed into shorter sections at the opening means.

10. A multiple applicators as in claim 9, wherein a holder is provided comprising an elongated hollow tube or an elongated member with one or more holes at its end to hold the severed section of the elongated housing for application.

11. A multiple applicators as in claim 9, wherein said opening means is a score line wherein the sealed compartment will snap-off at the score line when the elongated housing is bent.

12. A multiple applicators as in claim 9, wherein one or more of said sealed compartments enclose a liquid or a viscous substance.

13. A multiple applicators as in claim 9, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.

14. A multiple applicators as in claim 11, wherein one or more of said sealed compartments enclose a liquid or a viscous substance.

15. A multiple applicators as in claim 11, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.

16. A multiple applicators as in claim 12, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.

17. A multiple applicators comprising:  
an elongated housing that is separated into multiple sealed compartments along its length;  
one or more of the sealed compartments encloses an elongated member with a free end and another end affixed to one end of the sealed compartment;  
an applicator tip affixed to said free end of said elongated member; and

an opening means located at each of said sealed compartments near said applicator tip wherein each sealed compartment may be opened and removed;

wherein said elongated housing may be selectively severed into shorter sections at the opening means.

18. A multiple applicators as in claim 17, wherein a holder is provided comprising an elongated hollow tube or an elongated member with one or more holes at its end to hold the severed section of the elongated housing for application.

19. A multiple applicators as in claim 17, wherein said opening means is a score line wherein the sealed compartment will snap-off at the score line when the elongated housing is bent.

20. A multiple applicators as in claim 17, wherein one or more of said sealed compartments enclose a liquid or a viscous substance.

21. A multiple applicators as in claim 17, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.

22. A multiple applicators as in claim 19, wherein one or more of said sealed compartments enclose a liquid or a viscous substance.

23. A multiple applicators as in claim 19, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.

24. A multiple applicators as in claim 20, wherein said elongated housing further comprises of one end that extends beyond the sealed end of the last sealed compartment wherein the extended section of the elongated housing acts as a handle for the user to hold such that the last sealed compartment may be opened easily.